





UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/060,398	02/01/2002	Takao Inoue	PU01-01115	9587
7590 04/22/2004		EXAMINER		
McGinn & Gibb, PLLC			ANYASO, UCHENDU O	
Suite 200 8321 Old Cour	rthouse Road		ART UNIT	PAPER NUMBER
Vienna, VA	Vienna, VA 22182-3817 2675			. /
			DATE MAILED: 04/22/200	4

Please find below and/or attached an Office communication concerning this application or proceeding.

. Office Action Summary		Application No.	Applicant(s)				
		10/060,398	INOUE, TAKAO				
		Examiner	Art Unit				
		Uchendu O Anyaso	2675				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
THE MAILING DATE OF  - Extensions of time may be availa after SIX (6) MONTHS from the r  - If the period for reply specified at  - If NO period for reply is specified  - Failure to reply within the set or e	THIS COMMUNICATION. ble under the provisions of 37 CFR 1.13 nailing date of this communication. sove is less than thirty (30) days, a reply above, the maximum statutory period waxtended period for reply will, by statute, ater than three months after the mailing	IS SET TO EXPIRE 3 MONTH  (36(a). In no event, however, may a reply be to within the statutory minimum of thirty (30) day fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONI date of this communication, even if timely file	mely filed ys will be considered timely. the mailing date of this communication. ED (35 U.S.C. § 133).				
Status							
1) Responsive to com	munication(s) filed on 23 De	ecember 2003.					
2a)☐ This action is <b>FINA</b>	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.						
3) Since this application	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4)⊠ Claim(s) <u>1-20</u> is/are	☑ Claim(s) <u>1-20</u> is/are pending in the application.						
4a) Of the above cla	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/a	Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-20</u> is/are	Claim(s) <u>1-20</u> is/are rejected.						
7) Claim(s) is/a	Claim(s) is/are objected to.						
8) Claim(s) are	Claim(s) are subject to restriction and/or election requirement.						
Application Papers							
9) The specification is objected to by the Examiner.							
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 1	19						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ul>							
* See the attached def  Attachment(s)	ailed Office action for a list	of the certified copies not receive	∍d.				
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)							
2) Notice of Draftsperson's Pate	nt Drawing Review (PTO-948)	Paper No(s)/Mail D	Pate				
Information Disclosure Statem Paper No(s)/Mail Date	nent(s) (PTO-1449 or PTO/SB/08)	6) Other:	Patent Application (PTO-152)				

Application/Control Number: 10/060,398 Page 2

Art Unit: 2675

### **DETAILED ACTION**

1. Claims 1-20 are pending in this action.

## Claim Rejections - 35 USC ' 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 6 and 7 are rejected under 35 U.S.C. 102(b) as being anticipated by *Kanbar* (U.S. 5,850,126).

Regarding independent claim 6, and for claim 7, Kanbar teaches a light emitting diode (15) driving circuit comprising a luminance controller that approximates the luminance change characteristics of a light emitting diode with the luminance change of a lamp by teaching an LED lamp which includes a regulator to convert the A-C power line voltage to a D-C voltage and a power transistor activated by a pulse generator to apply D-C pulses to a bank of LEDs, all of which are housed in the lamp, whereby the screw-in LED lamp is useable as a replacement for a screw-in incandescent lamp of a given wattage, yet provides a greater light output at a lower wattage.

## Claim Rejections - 35 USC ' 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2675

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. Claims 1-5, 8-11, 14-16 and 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Kanbar* (U.S. 5,850,126) in view of *Hochstein* (U.S. 5,783,909).

Regarding **independent claims 1** and **5**, and for **claims 8-11** and **20**, Kanbar teaches a light emitting diode (15) driving circuit comprising a <u>control pulse generator (23)</u> (figure 4 at 15, 17, 23).

Furthermore, Kanbar teaches a smoothing circuit by teaching a <u>regulator 21</u> that includes a <u>rectifier</u>, which rectifies the A-C voltage to produce a D-C voltage of the desired magnitude and to maintain this voltage despite fluctuations in the A-C line voltage (column 3, lines 51-56, figure 4 at 21).

Also, Kanbar teaches a driving circuit for generating a driving voltage according to the control voltage and supplying a forward current to the light emitting diode by teaching how the D-C voltage yielded by regulator 21 is applied to the bank of parallel-connected LEDs 15 through a power transistor 22 wherein transistor 22 is activated by a pulse generator 23 operated from regulator 21 such that the pulse generator 23 yields periodic voltage pulses (column 3, lines 57-62, figure 4 at 21-23).

Furthermore, Kanbar teaches how the switching transistor 22 interrupts the forward current of the LEDs 15 in response to the pulse generator 23 (column 4, lines 1-3, figure 4 at 15, 22, 23).

However, Kanbar does not teach a control pulse having a variable duty factor. On the other hand, Hochstein teaches a circuit for maintaining the luminous intensity of a light emitting

Art Unit: 2675

diode wherein the control pulse have a variable duty factor (*see* figure 3, column 4, lines 7-17; column 6, lines 3-17).

Thus, it would have been obvious to a person of ordinary skill in the art to combine Kanbar and Hochstein because while Kanbar teaches a light emitting diode (15) driving circuit comprising a control pulse generator (23) (figure 4 at 15, 17, 23), Hochstein teaches how such a control pulse would have a variable duty factor (see figure 3, column 4, lines 7-17; column 6, lines 3-17). The motivation for combining these inventions would have been to achieve a robust design that compensates for the diminution of light output from LED signals due to temperature or aging (column 1, lines 9-18; column 2, lines 29-33).

Regarding **claim 2**, in further discussion of claim 1, Hochstein teaches a circuit for maintaining the luminous intensity of a light emitting diode including at least one light emitting diode (LED) for producing a luminous intensity (column 2, lines 5-9).

Also, Hochstein teaches an <u>adjustable power supply 16</u> that controls the voltage or current passing through a LEDs 12 wherein a variable pulse width modulated power supply 16 is employed such that changing the <u>pulse width or the pulse rate (frequency)</u> as a function of temperature will change the average current through the LED array (column 3, lines 9-18, figure 1 at 12, 16).

Regarding claims 3 and 4, in further discussion of claim 1 and 2, Kanbar teaches a driving circuit for generating a driving voltage according to the control voltage and supplying a forward current to the light emitting diode by teaching how the D-C voltage yielded by

Art Unit: 2675

regulator 21 is applied to the bank of parallel-connected <u>LEDs 15</u> through a <u>power transistor 22</u> wherein transistor 22 is activated by a pulse generator 23 operated from regulator 21 such that the pulse generator 23 yields periodic voltage pulses (column 3, lines 57-62, figure 4 at 21-23).

Furthermore, Kanbar teaches how the switching transistor 22 interrupts the forward current of the LEDs 15 in response to the pulse generator 23 (column 4, lines 1-3, figure 4 at 15, 22, 23).

Regarding **claim 14**, in further discussion of claim 6, Kanbar teaches a smoothing circuit by teaching a regulator 21 that includes a <u>rectifier</u>, which rectifies the A-C voltage to produce a D-C voltage of the desired magnitude and to maintain this voltage despite fluctuations in the A-C line voltage (column 3, lines 51-56, figure 4 at 21).

Regarding **claim 15**, in further discussion of claim 6, Kanbar teaches how the switching transistor 22 interrupts the forward current of the LEDs 15 in response to the pulse generator 23 (column 4, lines 1-3, figure 4 at 15, 22, 23).

Regarding **claim 16**, in further discussion of claim 6, Kanbar teaches a driving circuit for generating a driving voltage according to the control voltage and supplying a forward current to the light emitting diode by teaching how the D-C voltage yielded by <u>regulator 21</u> is applied to the bank of parallel-connected <u>LEDs 15</u> through a <u>power transistor 22</u> wherein transistor 22 is activated by a pulse generator 23 operated from regulator 21 such that the pulse generator 23 yields periodic voltage pulses (column 3, lines 57-62, figure 4 at 21-23).

Art Unit: 2675

Regarding **claim 18** and **19**, in further discussion of claim 6, Hochstein teaches a circuit for maintaining the luminous intensity of a light emitting diode wherein the control pulse have a variable duty factor (*see* figure 3, column 4, lines 7-17; column 6, lines 3-17).

6. Claims 12, 13 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kanbar (U.S. 5,850,126) in view of Hochstein (U.S. 5,783,909), as in claim 6 above, and further in view of Dussureault (U.S. 6,236,331).

Regarding claims 12, 13 and 17, in further discussion of claim 6, Kanbar and Hochstein do not teach a luminance controller comprising a maximum voltage generator that provides a maximum luminance from the light emitting diodes and a minimum voltage generator that prevents sudden luminance decrease by the light emitting diodes. On the other hand, Dussureault teaches an LED traffic light intensity controller comprising a controller that detects the output light intensity of a color, and then automatically adjusts the power input for the LEDs in order to increase the light intensity when needed (see Abstract) thereby maintaining the intensity of the LEDs at desired levels (column 3, lines 21-37).

Thus, it would have been obvious to a person of ordinary skill in the art to combine

Kanbar, Hochstein and Dussureault because while the combination of Kanbar and Hochstein

teach a circuit for maintaining the luminous intensity of a light emitting diode comprising a

control pulse generator having a variable duty factor, Dussureault teaches an LED traffic light

intensity controller comprising a controller that detects the output light intensity of a color, and
then automatically adjusts the power input for the LEDs in order to increase the light intensity

Art Unit: 2675

when needed (see Abstract). The motivation for combining these inventions would have been to maintain the intensity of the LEDs at desired levels (column 3, lines 21-37).

# Response to Arguments

7. Applicant's arguments with respect to claims 1-20 have been considered but are moot in view of the new ground(s) of rejection.

#### Conclusion

- 8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- U.S. Patent 5,936,620 to *Komine et al* for a power supply system capable of reducing power consumption during interruption of an external input signal given to an operating circuit.
- U.S. Patent 6,111,739 to Wu et al for an LED power supply with temperature compensation.
  - U.S. Patent 5,661,645 to Hochstein for a power supply for light emitting diode array.
- U.S. Patent 5,457,450 to Deese et al for an LED traffic signal with automatic low-line voltage compensating circuit.

## **Contact Information**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Uchendu O. Anyaso whose telephone number is (703) 306-5934.

Page 7

Art Unit: 2675

Page 8

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steve Saras, can be reached at (703) 305-9720.

# Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

### or faxed to:

(703) 872-9314 (for Technology Center 2600 only)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Sixth Floor (Receptionist). Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

Uchendu O. Anyaso

04/18/2004

CHANH NGUYEN PRIMARY EYAMING